

IntechOpen

Granularity in Materials Science

Edited by George Kyzas and Athanasios C. Mitropoulos





GRANULARITY IN MATERIALS SCIENCE

Edited by **George Kyzas** and **Athanasios C. Mitropoulos**

Granularity in Materials Science

http://dx.doi.org/10.5772/intechopen.75231 Edited by George Kyzas and Athanasios C. Mitropoulos

Contributors

Anna Angela Barba, Veronica De Simone, Diego Caccavo, Annalisa Dalmoro, Gaetano Lamberti, Matteo D'Amore, George Z. Kyzas, Athanasios C. Mitropoulos, Linchong Huang, Shuai Huang, Yu Liang, Leonardo Schippa, Guodong Liu

© The Editor(s) and the Author(s) 2018

The rights of the editor(s) and the author(s) have been asserted in accordance with the Copyright, Designs and Patents Act 1988. All rights to the book as a whole are reserved by INTECHOPEN LIMITED. The book as a whole (compilation) cannot be reproduced, distributed or used for commercial or non-commercial purposes without INTECHOPEN LIMITED's written permission. Enquiries concerning the use of the book should be directed to INTECHOPEN LIMITED rights and permissions department (permissions@intechopen.com).

Violations are liable to prosecution under the governing Copyright Law.



Individual chapters of this publication are distributed under the terms of the Creative Commons Attribution 3.0 Unported License which permits commercial use, distribution and reproduction of the individual chapters, provided the original author(s) and source publication are appropriately acknowledged. If so indicated, certain images may not be included under the Creative Commons license. In such cases users will need to obtain permission from the license holder to reproduce the material. More details and guidelines concerning content reuse and adaptation can be found at http://www.intechopen.com/copyright-policy.html.

Notice

Statements and opinions expressed in the chapters are these of the individual contributors and not necessarily those of the editors or publisher. No responsibility is accepted for the accuracy of information contained in the published chapters. The publisher assumes no responsibility for any damage or injury to persons or property arising out of the use of any materials, instructions, methods or ideas contained in the book.

First published in London, United Kingdom, 2018 by IntechOpen IntechOpen is the global imprint of INTECHOPEN LIMITED, registered in England and Wales, registration number: 11086078, The Shard, 25th floor, 32 London Bridge Street London, SE19SG - United Kingdom Printed in Croatia

British Library Cataloguing-in-Publication Data A catalogue record for this book is available from the British Library

Additional hard copies can be obtained from orders@intechopen.com

Granularity in Materials Science, Edited by George Kyzas and Athanasios C. Mitropoulos p. cm. Print ISBN 978-1-78984-307-1

Online ISBN 978-1-78984-308-8

Contents

Preface VII

| Chapter 1 | Introductory Chapter: Granularity in Adsorption 1 George Z. Kyzas and Athanasios C. Mitropoulos |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chapter 2 | Application of the Two-Fluid Model with Kinetic Theory of Granular Flow in Liquid–Solid Fluidized Beds 3 Guodong Liu |
| Chapter 3 | Probabilistic Settlement Analysis of Granular Soft Soil Foundation in Southern China Considering Spatial Variability 25 Lin-Chong Huang, Shuai Huang and Yu Liang |
| Chapter 4 | The Effects of Sediment Size and Concentration on the Rheological Behavior of Debris Flows 43 Leonardo Schippa |
| Chapter 5 | Inside the Phenomenological Aspects of Wet Granulation: Role of Process Parameters 63 Veronica De Simone, Diego Caccavo, Annalisa Dalmoro, Gaetano Lamberti, Matteo d'Amore and Anna Angela Barba |

Introductory Chapter: Granularity in Adsorption

George Z. Kyzas and Athanasios C. Mitropoulos

Additional information is available at the end of the chapter

http://dx.doi.org/10.5772/intechopen.81554

1. General aspects

Nowadays, a very promising technique for desalination and generally water purification is considered to be adsorption. Various classes of pollutants can be removed with adsorption process as dyes, heavy metal ions, organic molecules, and odors. Numerous adsorbent materials were synthesized having as major target the (possible) high adsorption capacity. Complex materials, organic (or polymeric) materials, and low-cost materials are some basic types of adsorbents used for water/wastewater purification. However, the "king" of the adsorbent materials is still the activated carbon. Activated carbon is a very strong candidate for adsorption applications due to its high porosity and large surface area for the majority of possible contaminants for removal. The two main types of activated carbon used in water treatment applications are granular activated carbon (GAC) and powdered activated carbon (PAC).

One of the basic advantages of adsorbent materials is the different shape/form that they can be produced; powders, microspheres/beads, granular particles, and monoliths are some important forms of adsorbents. However, special attention can be given to granularity of adsorbent materials given the wide use of this form not only in adsorption but also in many processes. The reason about granularity can be easily given taking into mind some examples of reality. Granular materials are characterized as simple materials with an increasing number of conglomerations of discrete macroscopic particles. However, if those materials do not present enough cohesivity, then only repulsive (strong) forces among them can exist, and the final shape of them is governed by (only) external boundaries and gravity. Granular materials do not behave similarly and present many differences from one material to another (of even familiar form of matter). All above indicate a basic triple concept: static friction, zero temperature, and the inelastic nature of their collisions (for moving grains). Granular materials play an important role in many of our industries, such as mining, agriculture, civil engineering, and pharmaceutical manufacturing. Also, they have a big impact on geological processes and






Figure 1. Post-filtration process for water purification using GAC.

erosion phenomena. So, the theory that everything eatable started out in a granular form can be easily supported and accepted. All above clearly show the importance of granular materials.

Taking into in consideration the importance of granular materials, researchers expertized in adsorption turn their interest to granular forms of activated carbons to treat and purify water (or wastewaters). From practical experience in areas where granular activated carbon (GAC) is used for drinking water treatment, it is clear that high levels of organic material in the source water result in a greatly diminished adsorption capacity and therefore a reduced lifetime of the carbon filters. It is a fact that these molecules interfere with the adsorption of other compounds present in drinking water (pesticides, taste- and odor-causing compounds, and other industrial micro-pollutants). However, few investigations have concentrated on the effect of adsorbed naturally occurring organic material on the surface properties of the carbon. The most common option for locating a GAC treatment unit in water treatment plants is post-filtration adsorption, where the GAC unit is located after the conventional filtration process (post-filter contactors or adsorbers) (**Figure 1**).

All above clearly indicated the use of granularity on adsorption technology of real industrial processes apart from the already widely known applications in engineering (mechanical, civil, electrical, etc.).

Author details

George Z. Kyzas* and Athanasios C. Mitropoulos

*Address all correspondence to: kyzas@teiemt.gr

Hephaestus Advanced Laboratory, Eastern Macedonia and Thrace Institute of Technology, Kavala, Greece